IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

⊡Search Results   BROWSE SEARCH IEEE GUID

Results for "((cobol)<in>metadata)"
Your search matched 184 of 1416205 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance Descending** order.

» Search Options

View Session History
New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((cobol)<in>metadata)

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[view selected items]   **Select All Deselect All**

☐ 1. **Does Cobol exist?**
Coyle, F.P.;
Software, IEEE
Volume 17., Issue 2, March-April 2000 P
Digital Object Identifier 10.1109/52.8392(
AbstractPlus | Full Text: PDF(196 KB)
Rights and Permissions

☐ 2. **The case for continued Cobol education**
Carr, D.; Kizior, R.J.;
Software, IEEE
Volume 17., Issue 2, March-April 2000 P
Digital Object Identifier 10.1109/52.8416(
AbstractPlus | References | Full Text: PDF
Rights and Permissions

☐ 3. **Reusing legacy COBOL code with UMI Wide Spectrum Language**
Pu, J.; Zhang, Z.; Xu, Y.; Yang, H.;
Information Reuse and Integration, Conf,
Conference on
15-17 Aug. 2005 Page(s):78 - 83
Digital Object Identifier 10.1109/IRI-05.2
AbstractPlus | Full Text: PDF(259 KB)
Rights and Permissions

☐ 4. **COBOL Script: a business-oriented scr**
Imajo, T.; Miyake, T.; Sato, S.; Ito, T.; Yc
S.;
Enterprise Distributed Object Computing

Proceedings, Fourth International
25-28 Sept. 2000 Page(s):231 - 240
Digital Object Identifier 10.1109/EDOC.2
AbstractPlus | Full Text: PDF(784 KB)
Rights and Permissions

5. **Cobol: a historic past, a vital future?**
Glass, R.L.;
Software, IEEE
Volume 16, Issue 4, July-Aug. 1999 Pag
Digital Object Identifier 10.1109/52.7769
AbstractPlus | Full Text: PDF(92 KB)   I
Rights and Permissions

6. **Cobol in an object-oriented world: a lea**
Hardgrave, B.C.; Reed Doke, K.;
Software, IEEE
Volume 17, Issue 2, March-April 2000 P
Digital Object Identifier 10.1109/52.8416
AbstractPlus | References | Full Text: PDF
Rights and Permissions

7. **Cobol for the next millennium**
Schricker, D.;
Software, IEEE
Volume 17, Issue 2, March-April 2000 P
Digital Object Identifier 10.1109/52.8416
AbstractPlus | Full Text: PDF(72 KB)   I
Rights and Permissions

8. **Object-oriented analysis of COBOL**
Fantechi, A.; Nesi, P.; Somma, E.;
Software Maintenance and Reengineering
Euromicro Conference on
17-19 March 1997 Page(s):157 - 164
Digital Object Identifier 10.1109/CSMR.1
AbstractPlus | Full Text: PDF(660 KB)
Rights and Permissions

9. **A foundation for tools to maintain and**
Dixon, P.J.;
Reverse Engineering for Software Based S
10 Nov 1994 Page(s):8/1 - 8/3
AbstractPlus | Full Text: PDF(116 KB)

10. **Migrating COBOL systems to the Web**
Bodhuin, T.; Guardabascio, E.; Tortorella
Reverse Engineering, 2002. Proceedings.
29 Oct.-1 Nov. 2002 Page(s):329 - 338
Digital Object Identifier 10.1109/WCRE.
AbstractPlus | Full Text: PDF(556 KB)
Rights and Permissions

11. **Object-oriented COBOL recycling**
Sneed, H.M.;
Reverse Engineering, 1996. Proceedings
8-10 Nov. 1996 Page(s):169 - 178
Digital Object Identifier 10.1109/WCRE.

AbstractPlus | Full Text: PDF(772 KB)
Rights and Permissions

☐ **12. Cobol: perception and reality**
Arranga, E.C.; Coyle, F.P.;
Computer
Volume 30, Issue 3, March 1997 Page(s)
Digital Object Identifier 10.1109/2.573368
AbstractPlus | Full Text: PDF(72 KB)   **I**
Rights and Permissions

☐ **13. Type inference for COBOL systems**
Van Deursen, A.; Moonen, L.;
Reverse Engineering, 1998. Proceedings.
12-14 Oct. 1998 Page(s):220 - 230
Digital Object Identifier 10.1109/WCRE.
AbstractPlus | Full Text: PDF(364 KB)
Rights and Permissions

☐ **14. A practical system of COBOL progran**
Yang, H.; Chu, W.C.; Sun, Y.;
Software Technology and Engineering Pr
IEEE International Workshop on [incorpc
Engineering]
14-18 July 1997 Page(s):45 - 57
Digital Object Identifier 10.1109/STEP.1
AbstractPlus | Full Text: PDF(984 KB)
Rights and Permissions

☐ **15. The real creators of Cobol**
Sammet, J.E.;
Software, IEEE
Volume 17, Issue 2, March-April 2000 I
Digital Object Identifier 10.1109/52.8416
AbstractPlus | References | Full Text: PD]
Rights and Permissions

☐ **16. Cobol tools: overview and taxonomy**
Arranga, E.C.;
Software, IEEE
Volume 17, Issue 2, March-April 2000 I
Digital Object Identifier 10.1109/52.8416
AbstractPlus | Full Text: PDF(544 KB)
Rights and Permissions

☐ **17. Legacy integration-changing perspecti**
Goyla, F.P.;
Software, IEEE
Volume 17, Issue 2, March-April 2000 I
Digital Object Identifier 10.1109/52.8416
AbstractPlus | References | Full Text: PD]
Rights and Permissions

☐ **18. An adapter to promote reusability of C**
Chia-Chu Chiang;
Information Technology: Coding and Cor
International Conference on
Volume 2, 4-6 April 2005 Page(s):310 -
Digital Object Identifier 10.1109/ITCC.2(

AbstractPlus | Full Text: <u>PDF</u>(136 KB)
Rights and Permissions

☐ **19. Revitalizing modifiability of legacy ass(**
Veerman, N.;
<u>Software Maintenance and Reengineerin</u>
<u>European Conference on</u>
26-28 March 2003 Page(s):19 - 29
Digital Object Identifier 10.1109/CSMR.:
AbstractPlus | Full Text: <u>PDF</u>(304 KB)
Rights and Permissions

☐ **20. Migration of procedurally oriented CO**
oriented architecture
Sneed, H.M.;
<u>Software Maintenance, 1992. Proceerdin</u>
9-12 Nov. 1992 Page(s):105 - 116
Digital Object Identifier 10.1109/ICSM.1
AbstractPlus | Full Text: <u>PDF</u>(560 KB)
Rights and Permissions

☐ **21. Development of CORBA components i**
interoperability
Chia-Chu Chiang;
<u>Software Maintenance, 2004. Proceeding</u>
<u>Conference on</u>
11-14 Sept. 2004 Page(s):521
Digital Object Identifier 10.1109/ICSM.2
AbstractPlus | Full Text: <u>PDF</u>(215 KB)
Rights and Permissions

☐ **22. Using knowledge-based transformation**
programs
Harmer, T.J.; McParland, P.J.; Boyle, J.M
<u>Knowledge-Based Software Engineering</u>
<u>the 11th</u>
25-28 Sept. 1996 Page(s):114 - 123
Digital Object Identifier 10.1109/KBSE.1
AbstractPlus | Full Text: <u>PDF</u>(748 KB)
Rights and Permissions

☐ **23. Automatic variable classification for C**
Chen, X.P.; Tsai, W.T.; Joiner, J.K.; Gan(
<u>Computer Software and Applications Cor</u>
<u>Proceedings., Eighteenth Annual Internat</u>
9-11 Nov. 1994 Page(s):432 - 43/
Digital Object Identifier 10.1109/CMPS/
AbstractPlus | Full Text: <u>PDF</u>(508 KB)
Rights and Permissions

☐ **24. Third-generation versus fourth-genera**
Misra, S.K.; Jalics, P.J.;
<u>Software, IEEE</u>
Volume 5, Issue 4, July 1988 Page(s):8 ;
Digital Object Identifier 10.1109/52.1779
AbstractPlus | Full Text: <u>PDF</u>(728 KB)
Rights and Permissions

25. An empirical comparison of textual an(

☐ **documentation for Cobol programs**
Lehman, I.A.;
Software Engineering, IEEE Transactions
Volume 15., Issue 9, Sept. 1989 Page(s):
Digital Object Identifier 10.1109/32.3137
AbstractPlus | Full Text: PDF(472 KB)
Rights and Permissions

IEEE *Xplore* ®
RELEASE 2.1

Welcome United States Patent and Trademark Office

▣**Search Results**

BROWSE SEARCH IEEE GUID

Results for "((((converting cobol conditional)<in>metadata)) <and> (pyi <and> pyr <...

Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevanc** **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((((converting cobol conditional)<in>metadata)) <and

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

» Key

IEEE JNL · IEEE Journal or Magazine

IEE JNL · IEE Journal or Magazine

IEEE CNF · IEEE Conference Proceeding

IEE CNF · IEE Conference Proceeding

IEEE STD · IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

Google Scholar BETA

| cobol conversion conditional and action | Search |

The **"AND"** operator is unnecessary -- we include all searcl
[details]

Scholar All articles Recent articles Results **1 - 10** of about **537** for **cobol coi**

Assembler to C Migration using the FermaT Transformation System - group
of 15 »
M Ward - IEEE International Conference on Software Maintenance (ICSM ...
- doi.ieeecs.org
... assessment and semi-automated **conversion** facilities; (c ... C header files
or **COBOL** data
divi ... Specialised transforma- tions **convert conditional** assignments to cc ...

Cited by 39 - Related Articles - Web Search

Description of Basic Algorithm in DETAB/65 Preprocessor
D TEICHROEW - portal.acm.org
... Error Checking **COBOL** code is always generated. ... will pre- s If n equals
the last
condition, redundancy exists ... **Conversion** Example The following is a step-
by-step ...
Related Articles - Web Search

Cobol for the Next Millennium - group of 2 »
NEWD TYPES, C COMPILATION, D VALIDATION, EC ... -
doi.ieeecomputersociety.org
...: data, new intrinsic functions have been added to **convert** data between ...
automatic argument
conversion. ... and methods using linkage conventions that **Cobol** does not ...
Web Search

Structured Programming in **Cobol**: An Approach for Application
Programmers
A Van Gelder - Communications, 1977 - portal.acm.org

... symbol, or multiway branch, and the **conditional action** symbol ... to be coded in a **Cobol**
program; however ... of independent processes are date **conversion**, file handling ...
Cited by 8 - Related Articles - Web Search

Very fast LR parsing
TJ Pennello - Proceedings of the 1986 SIGPLAN symposium on Compiler ...,
1986 - portal.acm.org
... A large **COBOL** grammar was used for the testing. ... Some assemblers automatically **convert**
a **conditional** jump whose target T is too far away into a **conditional** ...
Cited by 25 - Related Articles - Web Search

Translation of Decision Tables - group of 2 »
UW Pooch - ACM Computing Surveys (CSUR), 1974 - portal.acm.org
... Decomposition and **conversion** algorithms for translating decision tables ... programming
languages, such as **COBOL**, FORTRAN, ALGOL ... **CONDITION** STUB]I **CONDITION** ENTRY ...
Cited by 22 - Related Articles - Web Search

A methodology for machine language decompilation
BC Housel, MH Halstead - Proceedings of the 1974 annual conference, 1974 -
portal.acm.org
... be bounded by a sequence of **conditional** Jump instructions ... a DO-group, which represents
the **action** to be ... [3] IBM, 1400 Autocoder to **COBOL Conversion** Aid Program ...
Cited by 10 - Related Articles - Web Search

Control flow normalization for **COBOL**/CICS legacy systems - group of 13 »
M van den Brand, A Sellink, C Verhoef - Software Maintenance and
Reengineering, 1998. Proceedings of ..., 1998 - ieeexplore.ieee.org
... a CICS application and data, allowing **conversion** of 3270 ... we discuss control ow
mechanisms specic for **COBOL**. ... 6 we discuss restructuring of **conditional** constructs ...
Cited by 32 - Related Articles - Web Search

Conversion of decision tables to computer programs
LI Press - Communications of the ACM, 1965 - portal.acm.org
... to devise a procedure for tile **conversion** of limited ... evolves which contains only
one **condition** and is ... some intermediate language (ti'ORTRAN, **COBOL**, et(,..) and ...
Cited by 16 - Related Articles - Web Search

COBOL 85 Language Reference - group of 2 »
C ReSource, VS Wang - weigel-mohamed.org
... In this example, if **condition**-1 and **condition**-2 are ... in the ANSI X3.23a-1989 addendum
to **COBOL** 85 define ... This includes mathematical, actuarial, time **conversion**
Related Articles - View as HTML - Web Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

[cobol conversion conditional and ac] [Search]

Google Home - About Google - About Google Scholar

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	575	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
L2	108	717/117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
L3	566	717/136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/02 14:10
L4	1528	(legacy or cobol) and (conditional or boolean or predicate) and (action or event) and (relat$7 or associat$3 or map$4 or group$3) and (tag$4 or ·annotat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:19
L6	175	717/???.ccls. and l4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
L7	97	717/???.ccls. and l4 and (extract$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
L8	61	717/???.ccls. and l4 and (extract$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:14
L9	82	717/???.ccls. and (legacy or cobol) and (conditional or boolean or predicate) and (action or event) and (relat$7 or associat$3 or map$4 or group$3) and (tag$4 or annotat$3 or identifier) and (extract$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
L10	958	(conditional or boolean or predicate)same (tag$4 or annotat$3 or identifier) and (extract$3) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16

L11	76	(conditional or boolean or predicate)same (tag$4 or annotat$3 or identifier) and (extract$3) and (business or enterprise) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
L12	16	I9 and I11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:16
L13	1509	(legacy or cobol) and (reuse or compatib$5) and (conditional or boolean or predicate) and (action or event) and (relat$7 or associat$3 or map$4 or group$3) and (tag$4 or annotat$3 or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:19
L14	330	(legacy or cobol) same (reuse or compatib$5) and (conditional or boolean or predicate) and (action or event) and (relat$7 or associat$3 or map$4 or group$3) and (tag$4 or annotat$3 or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:20
L15	1108	(legacy or cobol) same (reuse or compatib$5) and (business or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:20
L16	30	(legacy or cobol) same (reuse or compatib$5) and (conditional or boolean or predicate) and (action or event) and (relat$7 or associat$3 or map$4 or group$3) and (tag$4 or annotat$3 or identifier) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:34
L17	0	(cobol) same (reuse or compatib$5 or extract$3) and identify$3 near5 (conditional or boolean or predicate) and identify$3 near5 (action or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:39
L18	126	(reuse or compatib$5 or extract$3) and identify$3 near5 (conditional or boolean or predicate) and identify$3 near5 (action or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:54

L19	3238	conditional near3 (statement or instruction) same (annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (asociat$4 or action or event or function or procedure or method) same (associat$3 or annotat$4 or group$3 or tag$4 or select$3 or determin$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:56
L20	362	conditional near3 (statement or instruction) same (annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (asociat$4 or action or event or function or procedure or method) same (associat$3 or annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (legacy nera3 reuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 14:59
L21	24	conditional near3 (statement or instruction) same (annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (asociat$4 or action or event or function or procedure or method) same (associat$3 or annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (legacy nera3 reuse) and (group$3 near5 condition$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:08
L22	1	convert$3 near5 cobol and conditional near3 (statement or instruction) same (annotat$4 or group$3 or tag$4 or select$3 or determin$5) and (asociat$4 or action or event or function or procedure or method) same (associat$3 or annotat$4 or group$3 or tag$4 or select$3 or determin$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:09
L23	5	convert$3 near5 cobol and conditional near3 (statement or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:12
L24	1	(convert$3 or transform$3) near5 cobol and ((information or metadata) near3 (condition$2 or predicate)) same (statement or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:15
L25	18	(convert$3 or transform$3) near5 cobol and ((information or metadata) near3 (condition$2 or predicate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:40

EAST Search History

L26	8	("5742827").URPN.	USPAT	OR	OFF	2006/10/02 15:38
L27	2810259	(convert$3 or transform$3) near5 cobol (condition$2 or predicate) and (action or event or procedure or function or method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:41
L28	311	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:41
L29	162	717/143.ccls. and l27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:44
L30	44	extract$3 near5 "business logic"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:46
L31	5	extract$3 near5 "business logic" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:47
L32	17	extract$3 near5 "business logic" and legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 15:47
L33	12	l32 not l31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:01
L34	7	"6199068" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:02
L35	0	"6199068.pn." and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09

L36	0	"6199068.pn." and condition$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:25
L37	0	"6199068.pn." and predicate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
L38	0	"6199068.pn." and branch$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
L39	0	"6199068.pn." and jump$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:09
L40	0	"6199068.pn." and (if near2 then)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:10
L41	0	"6199068.pn." and condition$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:25
L42	0	"6199068.pn." and conditional	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:50
L43	0	"20030225811" and cobol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/02 16:50